

**SULO**<sup>®</sup>



steelybin

**Steelybin**

# Steelybin

## 660 Litre and 1100 Litre Steelybin

The 660 and 1100 litre Steelybins, developed in consultation with contractors, local authorities and waste management companies, have been specifically designed to provide the ultimate solution for commercial waste and recycling needs.

Manufactured by Straight PLC and imported by SULO Australia, the Steelybin range is made from thick, galvanised steel panels and internally welded seams, providing a safe and durable 4 wheel container, capable of withstanding heavy loads and frequent usage. The robust steel panels make the containers ideal for waste collection in public areas that are prone to high levels of vandalism. The Steelybin is also fitted with a comb edge to ensure compatibility with standard lifting equipment.

The Steelybin range is fully compliant to DIN EN 840, the internationally recognised standard for Mobile Garbage Bins and incorporates a range of reinforcing and customary features, offering unrivalled quality in both design and finish.



## Lid and lock

The Steelybin double skinned rotationally moulded lid has been specifically designed to allow water runoff and incorporates extra hinge knuckles for added strength. Additional lid options enable source separation of waste and ease of use and include a trade and/or general waste lid, a bottle or can aperture and a recycling paper aperture.

The Steelybin range also features a triangular lid lock as standard, preventing the depositing of bulky waste and ensuring the contents remain secure.


Standard Colours: Black, Red, Yellow and Blue



## Features

Made from **galvanised steel** with optional powder coating

**Lid lock**  
fitted as standard



**Extra hinge knuckles**  
for added strength

**Comb edge**  
is compatible with all standard lifting equipment

**Drain plug**  
enables discharge of liquids

Two **swivel brake castors**



**Large print areas**  
recessed front panel to protect graphics

**Sump base**  
aids stability when the container is moved

**Danish handles**  
as standard to improve manoeuvrability





## Material

- **Body component:**
  - Manufactured from 1.5mm thick galvanised steel
  - Resistant to decay, heat, frost and chemicals
- **Lid component:**
  - Rotationally moulded from LDPE
  - Triangular lock as standard
- **Corrosion resistant steel components**
- **Long service life**
  - High quality materials
  - Internally welded seams

## Quality


- Certified to DIN EN 840, the International standard for MGBs
- Fully compliant with noise level regulations

## Customisation

- Multiple lid openings and colours available
- Powder coating available for customised colours
- Individual markings and custom graphics available
- Incorporates a chip nest for insertion of RFID tags


## Dimensions - Weights 660 Litre Steelybin

- Nominal volume: 660 litres
- Net weight: approx. 90 kg
- Max. load: 264 kg



## Dimensions - Weights 1100 Litre Steelybin

- Nominal volume: 1100 litres
- Net weight: approx. 100 kg
- Max. load: 440 kg



Measurements to be used as a guide only - variations will occur



SULO MGB Australia Pty Ltd  
123 Wisemans Ferry Road  
Somersby NSW 2250  
Australia  
Tel: +61 (0) 2 - 4348 8188  
Fax: +61 (0) 2 - 4348 8128  
Internet: [www.sulo.com.au](http://www.sulo.com.au)  
E-mail: [info@sulo.com.au](mailto:info@sulo.com.au)

SULO – Queensland Office  
11 Argon Street  
Sumner Park QLD 4074  
Australia  
Tel: +61 (0) 7 - 3725 5000  
Fax: +61 (0) 7 - 3725 5099

SULO – Victorian Office  
1950 Hume Hwy  
Campbellfield VIC 3061  
Australia  
Tel: +61 (0) 3 - 9357 7320  
Fax: +61 (0) 3 - 9357 7340

SULO Talbot  
PO Box 58 962  
Greenmount, Manukau City 2141  
New Zealand  
Tel: +64 9 - 968 2180  
Fax: +64 9 - 968 2188